

## TG DRAIN CLEAN

Page: 1

Compilation date: 08/10/2014

Revision date: 24/02/2020

Revision No: 3

## Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: TG DRAIN CLEAN

Product code: 61016

Synonyms: POWDERED DRAIN CLEAN WITH FRAGRANCE

ALUMINIUM POWERED DRAIN CLEANER

**1.2.** Relevant identified uses of the substance or mixture and uses advised against

#### 1.3. Details of the supplier of the safety data sheet

Company name: TG CLEAN A/S

Værkstedsvej 24

4600 Køge

Denmark

Tel: 00 45 43 90 84 00

Email: tg@tg-clean.dk

## 1.4. Emergency telephone number

**Emergency tel:** 00 45 43 90 84 00

## Section 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification under CLP: Skin Corr. 1A: H314; Acute Tox. 4: H302; Water-react. 3: H261

Most important adverse effects: Causes severe skin burns and eye damage. Harmful if swallowed. In contact with water releases flammable gases.

## 2.2. Label elements

# Label elements:

H314: Causes severe skin burns and eye damage.
H302: Harmful if swallowed.
H261: In contact with water releases flammable gases.
GHS05: Corrosion

GHS02: Flame



Signal words: Danger

Precautionary statements: P260: Do not breathe dust/fume/gas/mist/vapours/spray.

## TG DRAIN CLEAN

P280: Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.
Rinse skin with water .
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

## 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

#### Section 3: Composition/information on ingredients

#### 3.2. Mixtures

## Hazardous ingredients:

#### CAUSTIC PEARL

E	INECS	CAS	PBT / WEL	CLP Classification	Percent
215-	185-5	1310-73-2	-	-	50-70%

#### SODIUM NITRATE

-	7631-99-4	Ox. Liq. 1: H271; Eye Dam. 1: H318; Ox. Liq. 3: H272; Eye Irrit. 2: H319	15-50%
SALT			

231-598-3	7440-23-5	Substance with a Community	-	10-15%
		workplace exposure limit.		

#### Section 4: First aid measures

### 4.1. Description of first aid measures

Skin contact:	act: Remove all contaminated clothes and footwear immediately unless stuck to skin.		
	Drench the affected skin with running water for 10 minutes or longer if substance is still		
	on skin. Transfer to hospital if there are burns or symptoms of poisoning.		
Eye contact:	Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist		
	examination.		
Ingestion:	Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10		

- Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary.
   If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.
- Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

## TG DRAIN CLEAN

#### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

**Ingestion:** Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

**Inhalation:** There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

## 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

## Section 5: Fire-fighting measures

### 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

## 5.2. Special hazards arising from the substance or mixture

Exposure hazards: Corrosive. In combustion emits toxic fumes.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

### Section 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Notify the police and fire brigade immediately. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Do not create dust.

#### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

## 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

## TG DRAIN CLEAN

#### Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of dust in the air.

**Respirable dust** 

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

#### 7.3. Specific end use(s)

Specific end use(s): No data available.

## Section 8: Exposure controls/personal protection

8.1. Control parameters

#### Hazardous ingredients:

## CAUSTIC PEARL

#### Workplace exposure limits:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	-	2 mg/m3	-	-

## **DNEL/PNEC** Values

DNEL / PNEC No data available.

#### 8.2. Exposure controls

Engineering measures:Ensure there is sufficient ventilation of the area.Respiratory protection:Self-contained breathing apparatus must be available in case of emergency.<br/>Respiratory protective device with particle filter.Hand protection:Protective gloves.Eye protection:Tightly fitting safety goggles. Ensure eye bath is to hand.Skin protection:Protective clothing.

#### Section 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

State: Powder

Colour: White with silver speckles

Odour: Pleasant Pine

Solubility in water: Soluble

#### 9.2. Other information

Other information: No data available.

## TG DRAIN CLEAN

## Section 10: Stability and reactivity

### 10.1. Reactivity

#### Reactivity: Stable under recommended transport or storage conditions.

#### 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

## 10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

#### **10.6. Hazardous decomposition products**

Haz. decomp. products: In combustion emits toxic fumes.

#### Section 11: Toxicological information

### 11.1. Information on toxicological effects

#### Hazardous ingredients:

#### SODIUM NITRATE

IVN	MUS	LD50	175	mg/kg
ORL	RAT	LD50	1267	mg/kg

#### **Relevant hazards for product:**

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

### Symptoms / routes of exposure

Blistering may occur. Progressive ulceration will occur if treatment is not immediate.
Corneal burns may occur. May cause permanent damage.
Corrosive burns may appear around the lips. Blood may be vomited. There may be
bleeding from the mouth or nose.
There may be shortness of breath with a burning sensation in the throat. Exposure may
cause coughing or wheezing.
Immediate effects can be expected after short-term exposure.

## TG DRAIN CLEAN

**Page:** 6

#### Section 12: Ecological information

#### 12.1. Toxicity

Ecotoxicity values: No data available.

#### 12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

## 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

## 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

### Section 13: Disposal considerations

13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal

company.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

#### Section 14: Transport information

14.1. UN number

UN number: UN1823

## 14.2. UN proper shipping name

Shipping name: SODIUM HYDROXIDE, POWDER

14.3. Transport hazard class(es)

Transport class: 8

14.4. Packing group

Packing group: ||

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

## TG DRAIN CLEAN

Page: 7

Transport category: 2

## Section 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2. Chemical Safety Assessment

## Section 16: Other information

## Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	2015/830.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	H261: In contact with water releases flammable gases.
	H272: May intensify fire; oxidiser.
	H302: Harmful if swallowed.
	H314: Causes severe skin burns and eye damage.
	H319: Causes serious eye irritation.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product.